



Middletown Township Fire Department
Johnson Gill Annex
1 Kings Highway
Middletown, NJ 07748
732-615-2273 / 732-615-3303 (Fax)
www.middletownnj.org



**Personal Protective Equipment
 Inspection Form**

Firefighter's Name: _____ **DFS #:** _____

Inspection Conducted By: _____ **Date:** _____

Reviewed By: _____ **Date:** _____

Turnout Coat (NFPA 1972-87)

Manufacturer: _____ Date of Manufacture: _____

Serial No. _____ Size: _____ Length: _____

Turnout Pant (NFPA 1971-86)

Manufacturer: _____ Date of Manufacture: _____

Serial No.: _____ Size: _____ Length: _____

Helmet (NFPA 1972-87)

Manufacturer: _____ Model No.: _____

Date of Manufacture: _____ Serial No.: _____

Face Shield: Yes No Goggles: Yes No Bourke Shield: Yes No

Boots (NFPA 1974-87)

Manufacturer: _____ Date of Manufacture: _____

Size: _____ Leather: Rubber:

**Middletown Township Fire Department
Personal Protective Equipment
Inspection Form**

Gloves (NFPA 1973-88)

Manufacturer: _____ Date of Manufacture: _____

Size: _____ Extended Wristlets: Yes: No:

Hood (NFPA 1971-91)

Manufacturer: _____ Date of Manufacture: _____

SCBA Mask

Manufacturer: _____ Model No. : _____

Voice Amplifier: Yes No

**Middletown Township Fire Department
Personal Protective Equipment
Inspection Form**

Inspection of personal protective equipment should be conducted on a frequent basis by members to ensure the protective clothing is continued suitability for use. The fire department should inspect all protective clothing at least annually. The inspection should confirm the following:

Turnouts shall be inspected for the following:

- 1) **All materials should be free from tears, embrittlement, and fraying.**

Good for Service Need Repair Take out of Service

Comments _____

- 2) **Seams should be intact and show no signs of excessive wear.**

Good for Service Need Repair Take out of Service

Comments _____

- 3) **Reflective trim should show no signs of abrasion or loss of reflectivity due to heat exposure.**

Good for Service Need Repair Take out of Service

Comments _____

- 4) **All pockets, knee pads and other accessory items should be firmly attached to the garment and show no signs of excessive wear.**

Good for Service Need Repair Take out of Service

Comments _____

**Middletown Township Fire Department
Personal Protective Equipment
Inspection Form**

5) **Sleeve and pant cuffs should show no signs of fraying.**

Good for Service Need Repair Take out of Service

Comments _____

6) **The entire garment should be free from excessive dirt and stains.**

Good for Service Need Repair Take out of Service

Comments _____

7) **Where a fabric color change is noted, a condition that could be caused by high heat exposure or ultraviolet exposure, the entire area should be checked for loss of tear strength.**

Good for Service Need Repair Take out of Service

Comments _____

Turnout Coat & Pant Field Test

The protective coat and the protective trousers shall have at least a 2.0” overlap of all layers so there is no gaping of the total thermal protection when the protective garments are worn.

The minimum overlap shall be determined by measuring the garments on the wearer, without SCBA, in both of the following positions:

1) While standing place hands together reaching overhead as high as possible.

Pass Fail

2) While standing place hands together reaching overhead, with body bent forward at a 90 degree angle, to the side (either left or right), and to the back.

Pass Fail

**Middletown Township Fire Department
Personal Protective Equipment
Inspection Form**

Helmets shall be inspected for the following:

1) Helmet Soiling

Good for Service Need Repair Take out of Service

Comments _____

2) Contamination from hazardous materials or biological agents.

Good for Service Need Repair Take out of Service

Comments _____

3) Physical damage to the shell, such as the following: (check all that apply)

Cracks Crazing Dents Abrasions
Bubbling Soft Spots Warping Discoloration

Good for Service Need Repair Take out of Service

Comments _____
